

| | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|--|-----------------------------|------|--------|--------|--------------------|-----------------------------|------|--------|--------|--------------------|-----------------------------|------|--------|--------|--------------------|-----------------------------|------|--------|--------|--------------------|--|
| Report Settings | | | | | | | | | | | | | | | | | | | | | | |
| Statistics | Overall Average | | | | | | | | | | | | | | | | | | | | | |
| List By | Criterion | | | | | | | | | | | | | | | | | | | | | |
| Groups | All members of "Nursing" | | | | | | | | | | | | | | | | | | | | | |
| Demographic Filters | All Students | | | | | | | | | | | | | | | | | | | | | |
| Assessment Instruments | All Instruments in "Nursing" and its parent groups | | | | | | | | | | | | | | | | | | | | | |
| Multiple Score Option | Use all scores | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | Aug 1, 2010 to Jul 31, 2011 | | | | | Aug 1, 2011 to Jul 31, 2012 | | | | | Aug 1, 2012 to Jul 31, 2013 | | | | | Aug 1, 2013 to Jul 31, 2014 | | | | | |
| assessment instrument name | criteria name | n | mean | mean % | median | standard deviation | n | mean | mean % | median | standard deviation | n | mean | mean % | median | standard deviation | n | mean | mean % | median | standard deviation | |
| Adult Care Plan: NUR 307 | Assessment: Relevance and Accuracy | 8 | 3.75 | 94 | 4 | 0.43 | 1 | 4 | 100 | 4 | 0 | 9 | 3.78 | 94 | 4 | 0.42 | 1 | 4 | 100 | 4 | 0 | |
| Adult Care Plan: NUR 307 | Assessment: Organization | 8 | 4 | 100 | 4 | 0 | 1 | 4 | 100 | 4 | 0 | 9 | 3.44 | 86 | 4 | 0.83 | 1 | 4 | 100 | 4 | 0 | |
| Adult Care Plan: NUR 307 | Assessment: Scope | 8 | 3.88 | 97 | 4 | 0.33 | 1 | 4 | 100 | 4 | 0 | 9 | 3.11 | 78 | 3 | 0.57 | 1 | 4 | 100 | 4 | 0 | |
| Adult Care Plan: NUR 307 | Assessment: Sources | 8 | 3.75 | 94 | 4 | 0.43 | 1 | 4 | 100 | 4 | 0 | 9 | 3.89 | 97 | 4 | 0.31 | 1 | 4 | 100 | 4 | 0 | |
| Adult Care Plan: NUR 307 | Assessment: Abnormal patterns | 8 | 4 | 100 | 4 | 0 | 1 | 4 | 100 | 4 | 0 | 9 | 3.67 | 92 | 4 | 0.67 | 1 | 4 | 100 | 4 | 0 | |
| Adult Care Plan: NUR 307 | Nursing Diagnoses: Comprehensiveness | 8 | 3.88 | 97 | 4 | 0.33 | 1 | 4 | 100 | 4 | 0 | 9 | 2.78 | 69 | 3 | 1.4 | 1 | 4 | 100 | 4 | 0 | |
| Adult Care Plan: NUR 307 | Nursing Diagnoses: Interpretation of data | 8 | 4 | 100 | 4 | 0 | 1 | 4 | 100 | 4 | 0 | 9 | 3.89 | 97 | 4 | 0.31 | 1 | 4 | 100 | 4 | 0 | |
| Adult Care Plan: NUR 307 | Nursing Diagnoses: Synthesis of information | 8 | 3.88 | 97 | 4 | 0.33 | 1 | 4 | 100 | 4 | 0 | 9 | 3.44 | 86 | 4 | 0.68 | 1 | 4 | 100 | 4 | 0 | |
| Adult Care Plan: NUR 307 | Nursing Diagnoses: Format | 8 | 4 | 100 | 4 | 0 | 1 | 4 | 100 | 4 | 0 | 9 | 4 | 100 | 4 | 0 | 1 | 4 | 100 | 4 | 0 | |
| Adult Care Plan: NUR 307 | Outcomes: Validity | 8 | 3.38 | 84 | 3 | 0.48 | 1 | 4 | 100 | 4 | 0 | 9 | 2.89 | 72 | 3 | 1.1 | 1 | 4 | 100 | 4 | 0 | |
| Adult Care Plan: NUR 307 | Outcomes: Reliability | 8 | 3.38 | 84 | 3.5 | 0.7 | 1 | 4 | 100 | 4 | 0 | 9 | 2.67 | 67 | 3 | 0.94 | 1 | 4 | 100 | 4 | 0 | |
| Adult Care Plan: NUR 307 | Outcomes: Realistic | 8 | 3 | 75 | 3 | 1 | 1 | 4 | 100 | 4 | 0 | 9 | 2.67 | 67 | 2 | 1.25 | 1 | 4 | 100 | 4 | 0 | |
| Adult Care Plan: NUR 307 | Outcomes: Patient focused | 8 | 4 | 100 | 4 | 0 | 1 | 4 | 100 | 4 | 0 | 9 | 3.56 | 89 | 4 | 0.83 | 1 | 4 | 100 | 4 | 0 | |
| Adult Care Plan: NUR 307 | Interventions: Comprehensive | 8 | 3.5 | 88 | 3.5 | 0.5 | 1 | 4 | 100 | 4 | 0 | 9 | 3.11 | 78 | 3 | 0.74 | 1 | 4 | 100 | 4 | 0 | |
| Adult Care Plan: NUR 307 | Interventions: Diversity | 8 | 3.38 | 84 | 3.5 | 0.7 | 1 | 4 | 100 | 4 | 0 | 9 | 3.56 | 89 | 4 | 0.5 | 1 | 4 | 100 | 4 | 0 | |
| Adult Care Plan: NUR 307 | Interventions: Completeness | 8 | 3.75 | 94 | 4 | 0.43 | 1 | 4 | 100 | 4 | 0 | 9 | 3.67 | 92 | 4 | 0.67 | 1 | 4 | 100 | 4 | 0 | |
| Adult Care Plan: NUR 307 | Interventions: Scientific basis | 8 | 3.88 | 97 | 4 | 0.33 | 1 | 4 | 100 | 4 | 0 | 9 | 4 | 100 | 4 | 0 | 1 | 4 | 100 | 4 | 0 | |
| Adult Care Plan: NUR 307 | Interventions: Patient teaching | 8 | 3.25 | 81 | 4 | 1.39 | 1 | 4 | 100 | 4 | 0 | 9 | 3.78 | 94 | 4 | 0.63 | 1 | 4 | 100 | 4 | 0 | |
| Adult Care Plan: NUR 307 | Interventions: Collaboration | 8 | 3.75 | 94 | 4 | 0.66 | 1 | 4 | 100 | 4 | 0 | 9 | 3.56 | 89 | 4 | 0.83 | 1 | 4 | 100 | 4 | 0 | |
| Adult Care Plan: NUR 307 | Evaluation | 8 | 3.88 | 97 | 4 | 0.33 | 1 | 4 | 100 | 4 | 0 | 9 | 3.22 | 81 | 4 | 1.31 | 1 | 4 | 100 | 4 | 0 | |
| Adult Care Plan: NUR 307 | General criteria: Prioritizing | 8 | 4 | 100 | 4 | 0 | 1 | 4 | 100 | 4 | 0 | 9 | 3.11 | 78 | 4 | 1.37 | 1 | 4 | 100 | 4 | 0 | |
| Adult Care Plan: NUR 307 | General criteria: Completeness | 8 | 4 | 100 | 4 | 0 | 1 | 4 | 100 | 4 | 0 | 9 | 4 | 100 | 4 | 0 | 1 | 4 | 100 | 4 | 0 | |
| Adult Care Plan: NUR 307 | General criteria: Research requirement | 8 | 4 | 100 | 4 | 0 | 1 | 4 | 100 | 4 | 0 | 9 | 3.89 | 97 | 4 | 0.31 | 1 | 4 | 100 | 4 | 0 | |

| assessment instrument name | criterion name | Aug 1, 2010 to Jul 31, 2011 | | | | | Aug 1, 2011 to Jul 31, 2012 | | | | | Aug 1, 2012 to Jul 31, 2013 | | | | | Aug 1, 2013 to Jul 31, 2014 | | | | |
|------------------------------|---|-----------------------------|------|--------|--------|--------------------|-----------------------------|------|--------|--------|--------------------|-----------------------------|------|--------|--------|--------------------|-----------------------------|------|--------|--------|--------------------|
| | | n | mean | mean % | median | standard deviation | n | mean | mean % | median | standard deviation | n | mean | mean % | median | standard deviation | n | mean | mean % | median | standard deviation |
| Adult Care Plan: NUR 307 | General criteria: Medication summary | 8 | 3.75 | 94 | 4 | 0.43 | 1 | 4 | 100 | 4 | 0 | 9 | 3.44 | 86 | 4 | 0.68 | 1 | 4 | 100 | 4 | 0 |
| Adult Care Plan: NUR 307 | General Criteria: Organization | 8 | 4 | 100 | 4 | 0 | 1 | 4 | 100 | 4 | 0 | 9 | 3.78 | 94 | 4 | 0.63 | 1 | 4 | 100 | 4 | 0 |
| Adult Care Plan: NUR 307 | General Criteria: Flow | 8 | 4 | 100 | 4 | 0 | 1 | 4 | 100 | 4 | 0 | 9 | 4 | 100 | 4 | 0 | 1 | 4 | 100 | 4 | 0 |
| Adult Care Plan: NUR 307 | General Criteria: Use of professional language | 8 | 4 | 100 | 4 | 0 | 1 | 4 | 100 | 4 | 0 | 9 | 4 | 100 | 4 | 0 | 1 | 4 | 100 | 4 | 0 |
| Adult Care Plan: NUR 307 | General Criteria: Spelling | 8 | 3.63 | 91 | 4 | 0.48 | 1 | 4 | 100 | 4 | 0 | 9 | 3.56 | 89 | 4 | 0.83 | 1 | 4 | 100 | 4 | 0 |
| Adult Care Plan: NUR 307 | General criteria: Grammar | 8 | 4 | 100 | 4 | 0 | 1 | 4 | 100 | 4 | 0 | 9 | 4 | 100 | 4 | 0 | 1 | 4 | 100 | 4 | 0 |
| Adult Care Plan: NUR 307 | General criteria: Style and form | 8 | 3.75 | 94 | 4 | 0.66 | 1 | 4 | 100 | 4 | 0 | 9 | 4 | 100 | 4 | 0 | 1 | 4 | 100 | 4 | 0 |
| Charge Nurse Paper: NUR 400 | Amount of information | 22 | 3.73 | 93 | 4 | 0.45 | 36 | 3.64 | 91 | 4 | 0.54 | 45 | 3.73 | 93 | 4 | 0.44 | 16 | 3.63 | 91 | 4 | 0.48 |
| Charge Nurse Paper: NUR 400 | Organization | 22 | 3.91 | 98 | 4 | 0.29 | 36 | 3.83 | 96 | 4 | 0.37 | 45 | 3.93 | 98 | 4 | 0.25 | 16 | 3.94 | 98 | 4 | 0.24 |
| Charge Nurse Paper: NUR 400 | Quality of Information | 22 | 3.82 | 95 | 4 | 0.39 | 36 | 3.83 | 96 | 4 | 0.37 | 45 | 3.87 | 97 | 4 | 0.34 | 16 | 3.94 | 98 | 4 | 0.24 |
| Charge Nurse Paper: NUR 400 | Support for topic | 22 | 3.82 | 95 | 4 | 0.39 | 36 | 3.81 | 95 | 4 | 0.4 | 45 | 3.76 | 94 | 4 | 0.43 | 16 | 4 | 100 | 4 | 0 |
| Charge Nurse Paper: NUR 400 | APA Format and Mechanics | 22 | 2.95 | 74 | 3 | 0.93 | 36 | 3.22 | 81 | 3 | 0.79 | 45 | 3.02 | 76 | 3 | 0.86 | 16 | 2.75 | 69 | 2.5 | 0.97 |
| Clinical Evaluation: NUR 406 | Discipline-Specific Knowledge: The utilization of theoretical/conceptual and practical knowledge bases to analyze salient relationships (relationships that stand out) in the organization and delivery of patient care* (1.1, 1.5) | 22 | 3.64 | 91 | 4 | 0.48 | 2 | 4 | 100 | 4 | 0 | 44 | 4 | 100 | 4 | 0 | 42 | 3.95 | 99 | 4 | 0.21 |
| Clinical Evaluation: NUR 406 | Critical Reflection: The recognition of similarities and differences among patterns of interaction between internal and external environments in clinical practice* (1.4) | 22 | 3.36 | 84 | 3 | 0.48 | 2 | 4 | 100 | 4 | 0 | 44 | 3.52 | 88 | 4 | 0.5 | 42 | 3.45 | 86 | 3 | 0.5 |
| Clinical Evaluation: NUR 406 | Critical Thinking Competency: Identifies missing information that is needed to generate evidenced-based positive outcomes through knowing the patient* (1.2, 1.3) | 22 | 3.59 | 90 | 4 | 0.49 | 2 | 4 | 100 | 4 | 0 | 44 | 4 | 100 | 4 | 0 | 42 | 3.98 | 99 | 4 | 0.15 |
| Clinical Evaluation: NUR 406 | Critical Thinking Competency : Performs problem-solving, and decision-making skills that generate evidenced-based positive outcomes through knowing the patient* (1.2, 1.3, 2.4, 3.4) | 22 | 3.5 | 88 | 4 | 0.58 | 2 | 4 | 100 | 4 | 0 | 44 | 4 | 100 | 4 | 0 | 42 | 3.98 | 99 | 4 | 0.15 |
| Clinical Evaluation: NUR 406 | Communication: Written communication is professional (2.1) | 22 | 3.32 | 83 | 3 | 0.55 | 2 | 3 | 75 | 3 | 0 | 44 | 3.59 | 90 | 4 | 0.49 | 42 | 3.57 | 89 | 4 | 0.49 |

| assessment instrument name | criterion name | Aug 1, 2010 to Jul 31, 2011 | | | | | Aug 1, 2011 to Jul 31, 2012 | | | | | Aug 1, 2012 to Jul 31, 2013 | | | | | Aug 1, 2013 to Jul 31, 2014 | | | | |
|------------------------------|--|-----------------------------|------|--------|--------|--------------------|-----------------------------|------|--------|--------|--------------------|-----------------------------|------|--------|--------|--------------------|-----------------------------|------|--------|--------|--------------------|
| | | n | mean | mean % | median | standard deviation | n | mean | mean % | median | standard deviation | n | mean | mean % | median | standard deviation | n | mean | mean % | median | standard deviation |
| Clinical Evaluation: NUR 406 | Communication: Verbal communication is professional and culturally sensitive (2.2, 2.4, 2.5) | 22 | 3.45 | 86 | 3 | 0.5 | 2 | 3 | 75 | 3 | 0 | 44 | 3.77 | 94 | 4 | 0.42 | 42 | 3.45 | 86 | 3 | 0.5 |
| Clinical Evaluation: NUR 406 | Information literacy: Integration of current knowledge into nursing practice (2.3) | 22 | 3.82 | 95 | 4 | 0.39 | 2 | 4 | 100 | 4 | 0 | 44 | 4 | 100 | 4 | 0 | 42 | 3.93 | 98 | 4 | 0.26 |
| Clinical Evaluation: NUR 406 | Therapeutic nursing interventions: psychomotor skills (3.1, 3.2, 3.3, 3.4) | 22 | 3.59 | 90 | 4 | 0.49 | 2 | 3 | 75 | 3 | 0 | 44 | 3.61 | 90 | 4 | 0.49 | 42 | 3.5 | 88 | 3.5 | 0.5 |
| Clinical Evaluation: NUR 406 | Therapeutic nursing interventions: independence (3.4, 4.3) | 22 | 3.27 | 82 | 3 | 0.45 | 2 | 3 | 75 | 3 | 0 | 44 | 3.34 | 84 | 3 | 0.47 | 42 | 3.5 | 88 | 3.5 | 0.5 |
| Clinical Evaluation: NUR 406 | Therapeutic nursing interventions: safety | 22 | 4 | 100 | 4 | 0 | 2 | 4 | 100 | 4 | 0 | 44 | 4 | 100 | 4 | 0 | 42 | 4 | 100 | 4 | 0 |
| Clinical Evaluation: NUR 406 | Therapeutic nursing interventions: Medication administration (3.4, 4.3) | 22 | 3.64 | 91 | 4 | 0.48 | 2 | 4 | 100 | 4 | 0 | 44 | 3.98 | 99 | 4 | 0.15 | 42 | 3.95 | 99 | 4 | 0.21 |
| Clinical Evaluation: NUR 406 | Therapeutic nursing interventions: Provider of care (3.1, 3.3, 3.5) | 22 | 3.27 | 82 | 3 | 0.45 | 2 | 3 | 75 | 3 | 0 | 44 | 3.05 | 76 | 3 | 0.21 | 42 | 3.4 | 85 | 3 | 0.49 |
| Clinical Evaluation: NUR 406 | Therapeutic nursing interventions: Initiative in learning skills (3.4, 4.5) | 22 | 3.91 | 98 | 4 | 0.29 | 2 | 4 | 100 | 4 | 0 | 44 | 4 | 100 | 4 | 0 | 42 | 3.98 | 99 | 4 | 0.15 |
| Clinical Evaluation: NUR 406 | Therapeutic nursing interventions: Time management (3.4, 3.5) | 22 | 3.64 | 91 | 4 | 0.48 | 2 | 4 | 100 | 4 | 0 | 44 | 4 | 100 | 4 | 0 | 42 | 3.93 | 98 | 4 | 0.26 |
| Clinical Evaluation: NUR 406 | Therapeutic nursing interventions: Integration of the Theory of Nursing for the Whole Person: Ministry to body, mind, spirit (3.1, 3.2, 4.2) | 22 | 3.95 | 99 | 4 | 0.21 | 2 | 4 | 100 | 4 | 0 | 44 | 3.98 | 99 | 4 | 0.15 | 42 | 3.9 | 98 | 4 | 0.29 |
| Clinical Evaluation: NUR 406 | Therapeutic nursing interventions: Sensitivity to the Holy Spirit | 22 | 3.59 | 90 | 4 | 0.49 | 2 | 3 | 75 | 3 | 0 | 44 | 3.27 | 82 | 3 | 0.45 | 42 | 3.24 | 81 | 3 | 0.43 |
| Clinical Evaluation: NUR 406 | Leadership behaviors: Demonstrates professional roles | 22 | 3.41 | 85 | 3 | 0.49 | 2 | 4 | 100 | 4 | 0 | 44 | 3.14 | 78 | 3 | 0.34 | 42 | 3.33 | 83 | 3 | 0.47 |
| Clinical Evaluation: NUR 406 | Leadership behaviors: Ability to articulate a vision for nursing practice (4.1, 4.5) | 22 | 3.18 | 80 | 3 | 0.39 | 2 | 4 | 100 | 4 | 0 | 44 | 3.41 | 85 | 3 | 0.49 | 42 | 3.24 | 81 | 3 | 0.48 |
| Clinical Evaluation: NUR 406 | Leadership behaviors: Develops goals and influences change (4.1) | 22 | 2.73 | 68 | 3 | 0.62 | 2 | 3 | 75 | 3 | 0 | 44 | 3.05 | 76 | 3 | 0.42 | 42 | 2.95 | 74 | 3 | 0.72 |
| Clinical Evaluation: NUR 406 | Leadership behaviors: Acknowledges personal strengths and weaknesses (4.1, 4.5) | 22 | 3.95 | 99 | 4 | 0.21 | 2 | 4 | 100 | 4 | 0 | 44 | 3.52 | 88 | 4 | 0.5 | 42 | 3.36 | 84 | 3 | 0.61 |
| Clinical Evaluation: NUR 406 | Leadership behaviors: Professional conduct (4.1, 4.5) | 22 | 3.64 | 91 | 4 | 0.48 | 2 | 4 | 100 | 4 | 0 | 44 | 3.68 | 92 | 4 | 0.47 | 42 | 3.5 | 88 | 4 | 0.59 |
| Clinical Evaluation: NUR 406 | Leadership behaviors: Participates in peer review (4.1, 4.5) | 22 | 3.82 | 95 | 4 | 0.39 | 2 | 3 | 75 | 3 | 0 | 44 | 3 | 75 | 3 | 0 | 42 | 3.24 | 81 | 3 | 0.53 |

| assessment instrument name | criterion name | Aug 1, 2010 to Jul 31, 2011 | | | | | Aug 1, 2011 to Jul 31, 2012 | | | | | Aug 1, 2012 to Jul 31, 2013 | | | | | Aug 1, 2013 to Jul 31, 2014 | | | | |
|--|---|-----------------------------|------|--------|--------|--------------------|-----------------------------|------|--------|--------|--------------------|-----------------------------|------|--------|--------|--------------------|-----------------------------|------|--------|--------|--------------------|
| | | n | mean | mean % | median | standard deviation | n | mean | mean % | median | standard deviation | n | mean | mean % | median | standard deviation | n | mean | mean % | median | standard deviation |
| Clinical Evaluation: NUR 406 | Leadership Behaviors: Attitude of a servant leader (4.1, 4.5) | -- | -- | -- | -- | -- | 17 | 3.71 | 93 | 4 | 0.46 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Culture Specific Perinatal Care Paper: NUR 430 | Choice of culture with rationale | 22 | 3.91 | 98 | 4 | 0.42 | 40 | 3.9 | 98 | 4 | 0.37 | 43 | 3.98 | 99 | 4 | 0.15 | 60 | 3.8 | 95 | 4 | 0.44 |
| Culture Specific Perinatal Care Paper: NUR 430 | Understanding Culturally Sensitive Care | 22 | 3.64 | 91 | 4 | 1.02 | 40 | 3.4 | 85 | 4 | 0.97 | 43 | 3.98 | 99 | 4 | 0.15 | 60 | 3.87 | 97 | 4 | 0.39 |
| Culture Specific Perinatal Care Paper: NUR 430 | Antenatal Nutrition | 22 | 4 | 100 | 4 | 0 | 40 | 3.68 | 92 | 4 | 0.61 | 43 | 3.81 | 95 | 4 | 0.44 | 60 | 3.83 | 96 | 4 | 0.37 |
| Culture Specific Perinatal Care Paper: NUR 430 | Prenatal customs | 22 | 3.91 | 98 | 4 | 0.42 | 40 | 3.75 | 94 | 4 | 0.66 | 43 | 3.98 | 99 | 4 | 0.15 | 60 | 3.78 | 95 | 4 | 0.52 |
| Culture Specific Perinatal Care Paper: NUR 430 | Familial Role | 22 | 3.77 | 94 | 4 | 0.52 | 40 | 3.55 | 89 | 4 | 0.59 | 43 | 3.58 | 90 | 4 | 0.66 | 60 | 3.73 | 93 | 4 | 0.57 |
| Culture Specific Perinatal Care Paper: NUR 430 | Community influence | 22 | 3.73 | 93 | 4 | 0.69 | 40 | 3.4 | 85 | 4 | 0.89 | 43 | 3.63 | 91 | 4 | 0.65 | 60 | 3.78 | 95 | 4 | 0.52 |
| Culture Specific Perinatal Care Paper: NUR 430 | Childbirth preparation | 22 | 3.86 | 97 | 4 | 0.46 | 40 | 3.7 | 92 | 4 | 0.6 | 43 | 3.91 | 98 | 4 | 0.29 | 60 | 3.92 | 98 | 4 | 0.28 |
| Culture Specific Perinatal Care Paper: NUR 430 | Culturally sensitive nursing interventions | 22 | 3.55 | 89 | 4 | 1.08 | 40 | 3.75 | 94 | 4 | 0.58 | 43 | 3.86 | 97 | 4 | 0.46 | 60 | 3.9 | 98 | 4 | 0.44 |
| Culture Specific Perinatal Care Paper: NUR 430 | Christian Worldview analysis | 22 | 3.68 | 92 | 4 | 0.76 | 40 | 3.3 | 82 | 4 | 0.95 | 43 | 3.63 | 91 | 4 | 0.81 | 60 | 3.82 | 95 | 4 | 0.43 |
| Culture Specific Perinatal Care Paper: NUR 430 | Cultural practices vs Current practices | 22 | 3.73 | 93 | 4 | 0.91 | 40 | 3.33 | 83 | 4 | 0.98 | 43 | 3.93 | 98 | 4 | 0.25 | 60 | 3.82 | 95 | 4 | 0.43 |
| Culture Specific Perinatal Care Paper: NUR 430 | Scholarly resources | 22 | 3.82 | 95 | 4 | 0.83 | 40 | 3.83 | 96 | 4 | 0.54 | 43 | 3.93 | 98 | 4 | 0.33 | 60 | 3.88 | 97 | 4 | 0.58 |
| Culture Specific Perinatal Care Paper: NUR 430 | Form | 22 | 3.41 | 85 | 4 | 0.94 | 40 | 3.53 | 88 | 4 | 1 | 43 | 3.84 | 96 | 4 | 0.57 | 60 | 3.62 | 90 | 4 | 0.84 |
| Culture Specific Perinatal Care Paper: NUR 430 | Scholarly presentation | 22 | 3.73 | 93 | 4 | 0.54 | 40 | 3.68 | 92 | 4 | 0.75 | 43 | 4 | 100 | 4 | 0 | 60 | 3.95 | 99 | 4 | 0.22 |
| Culture Specific Perinatal Care Paper: NUR 430 | Professional language | 22 | 3.77 | 94 | 4 | 0.52 | 40 | 3.6 | 90 | 4 | 0.7 | 43 | 3.98 | 99 | 4 | 0.15 | 60 | 3.8 | 95 | 4 | 0.44 |
| NUR 403: Clinical Project Powerpoint | Objectives for Presentation | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | 4 | 100 | 4 | 0 | -- | -- | -- | -- | -- |
| NUR 403: Clinical Project Powerpoint | Depth of Information | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | 4 | 100 | 4 | 0 | -- | -- | -- | -- | -- |
| NUR 403: Clinical Project Powerpoint | Scope of Clinical Project | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | 3 | 75 | 3 | 0 | -- | -- | -- | -- | -- |
| NUR 403: Clinical Project Powerpoint | Sequencing of Information | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | 4 | 100 | 4 | 0 | -- | -- | -- | -- | -- |

| assessment instrument name | criterion name | Aug 1, 2010 to Jul 31, 2011 | | | | | Aug 1, 2011 to Jul 31, 2012 | | | | | Aug 1, 2012 to Jul 31, 2013 | | | | | Aug 1, 2013 to Jul 31, 2014 | | | | |
|--------------------------------------|--|-----------------------------|------|--------|--------|--------------------|-----------------------------|------|--------|--------|--------------------|-----------------------------|------|--------|--------|--------------------|-----------------------------|------|--------|--------|--------------------|
| | | n | mean | mean % | median | standard deviation | n | mean | mean % | median | standard deviation | n | mean | mean % | median | standard deviation | n | mean | mean % | median | standard deviation |
| NUR 403: Clinical Project Powerpoint | Background | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | 4 | 100 | 4 | 0 | -- | -- | -- | -- | -- |
| NUR 403: Clinical Project Powerpoint | Test-Font choice and Formatting | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | 4 | 100 | 4 | 0 | -- | -- | -- | -- | -- |
| NUR 403: Clinical Project Powerpoint | Use of Graphics | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | 4 | 100 | 4 | 0 | -- | -- | -- | -- | -- |
| NUR 403: Clinical Project Powerpoint | Spelling and Grammer | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | 4 | 100 | 4 | 0 | -- | -- | -- | -- | -- |
| NUR 403: Clinical Project Powerpoint | Reference Citations on Slides | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | 3 | 75 | 3 | 0 | -- | -- | -- | -- | -- |
| NUR 403: Clinical Project Powerpoint | Reference List at End of PowerPoint: Content | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | 2 | 50 | 2 | 0 | -- | -- | -- | -- | -- |
| Pediatric Care Plan: NUR 307 | Assessment: Relevance and Accuracy | 7 | 3.71 | 93 | 4 | 0.7 | 3 | 3.67 | 92 | 4 | 0.47 | 3 | 4 | 100 | 4 | 0 | -- | -- | -- | -- | -- |
| Pediatric Care Plan: NUR 307 | Assessment: Organization | 7 | 3.86 | 96 | 4 | 0.35 | 3 | 4 | 100 | 4 | 0 | 3 | 4 | 100 | 4 | 0 | -- | -- | -- | -- | -- |
| Pediatric Care Plan: NUR 307 | Assessment: Scope | 7 | 3.57 | 89 | 4 | 0.73 | 3 | 3.67 | 92 | 4 | 0.47 | 3 | 3.67 | 92 | 4 | 0.47 | -- | -- | -- | -- | -- |
| Pediatric Care Plan: NUR 307 | Assessment: Sources | 7 | 4 | 100 | 4 | 0 | 3 | 4 | 100 | 4 | 0 | 3 | 4 | 100 | 4 | 0 | -- | -- | -- | -- | -- |
| Pediatric Care Plan: NUR 307 | Assessment: Abnormal patterns | 7 | 4 | 100 | 4 | 0 | 3 | 4 | 100 | 4 | 0 | 3 | 4 | 100 | 4 | 0 | -- | -- | -- | -- | -- |
| Pediatric Care Plan: NUR 307 | Nursing Diagnoses: Comprehensiveness | 7 | 3.71 | 93 | 4 | 0.45 | 3 | 3.33 | 83 | 4 | 0.94 | 3 | 4 | 100 | 4 | 0 | -- | -- | -- | -- | -- |
| Pediatric Care Plan: NUR 307 | Nursing Diagnoses: Interpretation of data | 7 | 3.86 | 96 | 4 | 0.35 | 3 | 4 | 100 | 4 | 0 | 3 | 4 | 100 | 4 | 0 | -- | -- | -- | -- | -- |
| Pediatric Care Plan: NUR 307 | Nursing Diagnoses: Synthesis of information | 7 | 3.71 | 93 | 4 | 0.45 | 3 | 4 | 100 | 4 | 0 | 3 | 3.33 | 83 | 3 | 0.47 | -- | -- | -- | -- | -- |
| Pediatric Care Plan: NUR 307 | Nursing Diagnoses: Format | 7 | 4 | 100 | 4 | 0 | 3 | 3.33 | 83 | 4 | 0.94 | 3 | 4 | 100 | 4 | 0 | -- | -- | -- | -- | -- |
| Pediatric Care Plan: NUR 307 | Outcomes: Validity | 7 | 3.71 | 93 | 4 | 0.45 | 3 | 3.67 | 92 | 4 | 0.47 | 3 | 3.67 | 92 | 4 | 0.47 | -- | -- | -- | -- | -- |
| Pediatric Care Plan: NUR 307 | Outcomes: Reliability | 7 | 3.29 | 82 | 3 | 0.7 | 3 | 3 | 75 | 3 | 0.82 | 3 | 4 | 100 | 4 | 0 | -- | -- | -- | -- | -- |
| Pediatric Care Plan: NUR 307 | Outcomes: Realistic | 7 | 3.86 | 96 | 4 | 0.35 | 3 | 4 | 100 | 4 | 0 | 3 | 4 | 100 | 4 | 0 | -- | -- | -- | -- | -- |
| Pediatric Care Plan: NUR 307 | Outcomes: Patient focused | 7 | 3.71 | 93 | 4 | 0.7 | 3 | 4 | 100 | 4 | 0 | 3 | 4 | 100 | 4 | 0 | -- | -- | -- | -- | -- |
| Pediatric Care Plan: NUR 307 | Interventions: Comprehensive | 7 | 3.71 | 93 | 4 | 0.45 | 3 | 4 | 100 | 4 | 0 | 3 | 3.67 | 92 | 4 | 0.47 | -- | -- | -- | -- | -- |
| Pediatric Care Plan: NUR 307 | Interventions: Diversity | 7 | 4 | 100 | 4 | 0 | 3 | 4 | 100 | 4 | 0 | 3 | 4 | 100 | 4 | 0 | -- | -- | -- | -- | -- |
| Pediatric Care Plan: NUR 307 | Interventions: Completeness | 7 | 3.86 | 96 | 4 | 0.35 | 3 | 4 | 100 | 4 | 0 | 3 | 3.67 | 92 | 4 | 0.47 | -- | -- | -- | -- | -- |
| Pediatric Care Plan: NUR 307 | Interventions: Scientific basis | 7 | 3.86 | 96 | 4 | 0.35 | 3 | 4 | 100 | 4 | 0 | 3 | 3.67 | 92 | 4 | 0.47 | -- | -- | -- | -- | -- |
| Pediatric Care Plan: NUR 307 | Interventions: Patient teaching | 7 | 3.43 | 86 | 4 | 0.9 | 3 | 3.33 | 83 | 4 | 0.94 | 3 | 1.33 | 33 | 1.89 | -- | -- | -- | -- | -- | |
| Pediatric Care Plan: NUR 307 | Interventions: Collaboration | 7 | 3.71 | 93 | 4 | 0.7 | 3 | 4 | 100 | 4 | 0 | 3 | 2.67 | 67 | 4 | 1.89 | -- | -- | -- | -- | -- |

| assessment instrument name | criterion name | Aug 1, 2010 to Jul 31, 2011 | | | | | Aug 1, 2011 to Jul 31, 2012 | | | | | Aug 1, 2012 to Jul 31, 2013 | | | | | Aug 1, 2013 to Jul 31, 2014 | | | | |
|----------------------------|--|-----------------------------|------|--------|--------|--------------------|-----------------------------|------|--------|--------|--------------------|-----------------------------|------|--------|--------|--------------------|-----------------------------|------|--------|--------|--------------------|
| | | n | mean | mean % | median | standard deviation | n | mean | mean % | median | standard deviation | n | mean | mean % | median | standard deviation | n | mean | mean % | median | standard deviation |
| Self Analysis: NUR 304 | Support for Topic-Content | 1 | 4 | 100 | 4 | 0 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Self Analysis: NUR 304 | Capitalization, Punctuation, Grammar, and Spelling | 1 | 3 | 75 | 3 | 0 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Self Analysis: NUR 304 | Sources | 1 | 4 | 100 | 4 | 0 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Self Analysis: NUR 304 | APA Format | 1 | 4 | 100 | 4 | 0 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Senior Paper | Senior Paper | 1 | 4 | 100 | 4 | 0 | 17 | 3.88 | 97 | 4 | 0.32 | | | | | 33 | 3.67 | 92 | 4 | 0.47 | |